



DIMENSION TABLE

DN	A (NOM)	R (NOM)	OD (NOM)	Dr Min	Dr Max	Dm Min	Dm Max	SC	SP	Length (L)
63	90	300	63	62.4	62.7	63.1	63.4	63	63	424
63	45	300	63	62.4	62.7	63.1	63.4	63	63	230
63	30	300	63	62.4	62.7	63.1	63.4	63	63	155
63	22.5	300	63	62.4	62.7	63.1	63.4	63	63	117
63	15	300	63	62.4	62.7	63.1	63.4	63	63	78
63	11.25	300	63	62.4	62.7	63.1	63.4	63	63	59
63	90	450	63	62.4	62.7	63.1	63.4	63	63	636
63	45	450	63	62.4	62.7	63.1	63.4	63	63	344
63	30	450	63	62.4	62.7	63.1	63.4	63	63	233
63	22.5	450	63	62.4	62.7	63.1	63.4	63	63	176
63	15	450	63	62.4	62.7	63.1	63.4	63	63	117
63	11.25	450	63	62.4	62.7	63.1	63.4	63	63	88
63	90	600	63	62.4	62.7	63.1	63.4	63	63	849
63	45	600	63	62.4	62.7	63.1	63.4	63	63	459
63	30	600	63	62.4	62.7	63.1	63.4	63	63	311
63	22.5	600	63	62.4	62.7	63.1	63.4	63	63	234
63	15	600	63	62.4	62.7	63.1	63.4	63	63	157
63	11.25	600	63	62.4	62.7	63.1	63.4	63	63	118

Note

- All drawings, dimension, weights and volume are approximate only if critical please contact us
- Nominal size refers to the outside diameter 20-63 whereas greater than 80 refers to internal dimensions
- Sizes in red indicate multi-part bend
- Telstra and NBN conduit and fittings dimensions refer to AS/NZS 1477:2017 PVC pipes and fittings for pressure applications
- SP refers to spigot end
- M&F bends generally used in 1 direction sweep bends or multi part bends



Contact	COMPLIES WITH AS/NZS 61386	
4 Aldinga Street, Brendale, Qld 4500 P.O Box 5066, Brendale QLD, 4500 ABN: 42 606 838 206 Ph: 1300 327 306		1/05/2024