



### DIMENSION TABLE

DN	A (NOM)	R (NOM)	OD (NOM)	Dr Min	Dr Max	Dm Min	Dm Max	SC	SP	Length (L)
100	90	450	114	113.5	113.8	114.8	115.1	100	100	636
100	45	450	114	113.5	113.8	114.8	115.1	100	100	344
100	22.5	450	114	113.5	113.8	114.8	115.1	100	100	176
100	90	600	114	113.5	113.8	114.8	115.1	100	100	849
100	45	600	114	113.5	113.8	114.8	115.1	100	100	459
100	22.5	600	114	113.5	113.8	114.8	115.1	100	100	234
100	90	800	114	113.5	113.8	114.8	115.1	100	100	1131
100	45	800	114	113.5	113.8	114.8	115.1	100	100	612
100	22.5	800	114	113.5	113.8	114.8	115.1	100	100	312

#### Note

- All drawings, dimension, weights and volume are approximate only if critical please contact us
- Nominal size refers to the outside diameter 20-63 whereas greater than 80 refers to internal dimensions
- Sizes in red indicate multi-part bend
- Telstra and NBN conduit and fittings dimensions refer to AS/NZS 1477:2017 PVC pipes and fittings for pressure applications
- SP refers to spigot end
- M&F bends generally used in 1 direction sweep bends or multi part bends



**BEST ENVIRONMENTAL PRACTICE**



#### Contact

4 Aldinga Street, Brendale, Qld 4500  
 P.O Box 5066, Brendale QLD, 4500  
 ABN: 42 606 838 206  
 Ph: 1300 327 306

COMPLIES WITH AS/NZS 61386

1/05/2024